

200 USD Support Adjustable Medium Duty Cold-Rolled Steel Shelf Rack Warehouse Supermarket

Basic Information



Product Specification

QF-Medium Duty

Pallet Racking

Adjustable

Steel

Rack

0-5m 200

Open

Conventional Common Use

Customized

Powder Coating

15 Days

Q235

Safe

- Model NO.:
- Material:
- Structure:
- Type:
- Mobility:
- Height:
- Weight:
- Closed:
- Development:
- Serviceability:
- Color:Lead Time:
- Raw Material:
- Surface Treatment:
- Transport Package:



More Images





Product Description

Product Description



Medium Duty Rack adopts special step beams, which has the characteristics of simple structure, light weight, strong bearing capacity and low cost. The frame is connected by two uprights, horizontal braces and diagonal braces. It can be adjusted freely up and down to meet variety of storage needs. Medium duty racking is widely applied in electronics, food and medicine, clothing and office, business and other industries.

Parameter	Value
Shelf Brand	QiFei
Product Name	Medium-Duty Warehouse Shelf
Shelf Thickness	0.35mm
Product Color	Orange, Gray, White, Blue, Black, or customized
Upright Specification	50*35*0.5mm
Number of Shelves	4 layers or customized
Product Dimension	2000*600*2000 mm

Reau	ired	info	for	quote

1、The AUTOCAD drawing of warehouse or racking
2、Length, Height, and Width of the warehouse
3、Layers of the racking
4、Pallet size
5、Max weight of pallet with cargo on
6、Color requirement

Manufacturing Process Uprights/Crossbars/Shelves: Cold-rolled



Load Capacity	Sizes(L*W*H)mm	Specification
100kgs/layer	1200*400*2000 1200*500*2000 1500*400*2000 1500*500*2000 2000*400*2000	Frame: 30*50*0.6mm Beam: 30*50*0.4mm
200kgs/layer	1500*500*2000 1500*600*2000 2000*500*2000 2000*600*2000	Frame:40*80*0.7mm Beam:40*60*0.6mm
300kgs/layer	1200*600*2000 1500*500*2000 1500*600*2000 2000*500*2000	Frame:40*80*0.7mm Beam:40*60*0.7mm

Detailed Photos

MAIN AND SUB FRAME SAVES COST SAVE SPACE

SAVES COST SAVE STACE

The main frame has two columns frames, which can be used independently,Add on rack cannot be used alone, which must be used with the main rack.





ONE THREE-MINUTE INSTALLATION

Screw bags, toolkits, none of that is needed Butterfly buckle design card slot smooth a card a buckle three minutes to become an assembly master

CONVENIENT STORAGE ADJUSTABLE HEIGHT

Can be freely adjusted according to the needs of the layer height size items can be placed






SHELVING BOARD REINFORCEMENT RIBS

The spot-welded reinforcing ribs at the bottom of the shelf board increase the focus of the laminate and prevent the shelf board being deformed and make it much stronger.

TRAPEZOIDAL SUPPORT

Diagonal bracing is added to the shelf, which conforms to the mechanical theorem and ensures stable load-bearing.





WIDEN THE WELD FILM

Widen the welding film to increase the contact areabetween the shelf and the floor More stable andless wobbly



Packaging & Shipping

Packaging






Shipping



MOT AS YOUR REQUEST

AIR FREIGHT FOR URGENT Transit time:5-7 days OCEAN SHIPPING NORMALLY Transit time:15-40 days

Company Profile



Q: Where is your factory? Can I visit it?

A: Our factory located in Nanjing, Welcome to visit our factory. We can arrange pick-up from the airport or train station for you.

Q: What parameters do I need to provide for an accurate quotation?

1) Quantity(set)

2) Size: Length*Width*Height (mm) or samples or technical drawings

3) Load capacity per layer(kg)

4) Number of layers

Q: I don't have drawing or picture available for the products, could you design it for me?

A: Yes, we can make the best suitable design for you but need to knowmore details.

Q: Do I get any guarantee from your company?

A: 3~10 years warranty

Q: How do you make our business long-term and good relationship?

A: Quality makes trust and reputation, plus competitive price to ensure our customers benefit ;

Jiangsu Qifei Intelligent Storage Equipment Co., Ltd.			
C	+86-15161451461	sharonyan@qifeirack.com	warehouse-rackings.com
	Add:	#739 Dixiu Road Jiangning District Na	anjing China